



# NEMESIS

Netherlands Mental Health  
Survey and Incidence Study

## NEMESIS publicaties /publications

### **Internationale publicaties / International publications**

#### **1998**

1. Bijl RV, Zessen G van, Ravelli A, Rijk C de, Langendoen Y. The Netherlands Mental Health Survey and Incidence Study (NEMESIS): Objectives and design. *Social Psychiatry and Psychiatric Epidemiology* 1998; 33: 581-586.
2. Bijl R.V, Zessen G van, Ravelli A. Prevalence of psychiatric disorder in the general population: results of the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Social Psychiatry and Psychiatric Epidemiology* 1998; 33: 587-595.
3. Merikangas KR, Mehta RL, Molnar BE, Walters EE, Swendsen JD, Aguilar-Gaxiola S, Bijl R, Borghes G, Caraveo-Anduaga JJ, DeWit DJ, Kolody B, Vega WA, Wittchen H-U, Kessler RC. Comorbidity of substance use disorders with mood and anxiety disorders: Results of the International Consortium in Psychiatric Epidemiology. *Addictive Behaviors* 1998; 23: 893-907.

#### **1999**

4. Cuijpers P, Langendoen Y, Bijl RV. Psychiatric disorders in adult children of problem drinkers: prevalence, first onset, and comparison with other risk factors. *Addiction* 1999; 94: 1489-1498.
5. Os J van, Verdoux H, Bijl RV, Ravelli A. *Psychosis as an extreme of continuous variation in dimensions of psychopathology*. In: Gattaz WF, Häfner H (eds) Search for the causes of Schizophrenia Conference, Springer, Darmstadt, 1999, p. 59-79.

#### **2000**

6. Aguilar-Gaxiola S., Alegria M, Andrade L, Bijl R, Caraveo-Anduaga JJ, DeWit DJ, Kolody B, Kessler RC, Üstün TB, Vega WA, Wittchen H-U. *The International Consortium in Psychiatric Epidemiology*. In: Dragomirecká E, Palčová A, Papežová H (eds.). Sociální psychiatrie v čase změn / Social Psychiatry in Changing Times. Prague, Psychiatrické centrum, 2000, p. 86-103.

7. Alegria M, Bijl R, Lin E, Walters E, Kessler R. Income differences in persons seeking outpatient treatment for mental disorders: a comparison of the US with Ontario and the Netherlands. *Archives of General Psychiatry* 2000; 57: 383-391.
8. Alegria M, Kessler RC, Bijl RV, Lin E, Heeringa S, Takeuchi DT, Kolody B. Comparing data on mental health service use between countries. In: Andrews G & Henderson S (eds.). *Unmet need in psychiatry*. Cambridge, Cambridge University Press, 2000, p. 97-118.
9. Bijl RV, Ravelli A. Current and residual functional disability associated with psychopathology. *Psychological Medicine* 2000; 30: 657-668.
10. Bijl RV, Ravelli A. Psychiatric morbidity, service use, and need for care in the general population: results of the Netherlands Mental health Survey and Incidence study. *American Journal of Public Health* 2000; 90: 602-607.
11. Graaf R de, Bijl RV, Smit F, Ravelli A, Vollebergh WAM. Psychiatric and sociodemographic predictors of attrition in a longitudinal study. The Netherlands Mental Health Survey and Incidence Study (NEMESIS). *American Journal of Epidemiology* 2000; 152: 1039-1047.
12. Kessler RC, Aguilar-Gaxiola S., Alegria M, Andrade L, Bijl R, Caraveo-Anduaga JJ, DeWit DJ, Kolody B, Üstün TB, Vega WA, Wittchen H-U. The International Consortium in Psychiatric Epidemiology. *Psychiatrie* 2000; 1: 15-20.
13. Laitinen-Krispijn S, Bijl RV. Mental disorders and employee sickness absence: the NEMESIS study. *Social Psychiatry and Psychiatric Epidemiology* 2000; 35: 71-77.
14. Os J van, Hanssen M, Bijl RV, Ravelli A. Strauss (1969) revisited: a psychosis continuum in the general population? *Schizophrenia Research* 2000; 45: 11-20.
15. Ravelli A, Brink W van den, Bijl RV. Consequences of the use of different classification systems: a comparison of the DSM-III-R and ICD-10 for depression. *International Journal of Methods in Psychiatric Research* 2000; 4: 192-203.
16. Sprangers MAG, Regt EB de, Andries F, Agt HME van, Bijl RV, Boer JB de, Foets M, Hoeymans N, Jacobs AE, Kempen GIJM, Miedema HS, Tijhuis MAR, Haes HCJM de. Which chronic condition are associated with better or poorer quality of life? *Journal of Clinical Epidemiology* 2000; 53: 895-907.
17. WHO International Consortium in Psychiatric Epidemiology (Andrade L, Caraveo-Anduaga J, Bijl RV, Kessler RC, Demler O, Walters E, Kólyc C, Offord D, Üstün TB, Wittchen H-U). Cross-national comparisons of the prevalences and correlates of mental disorders. *The International Journal of Public Health* 2000; 78: 413-426.

## 2001

18. Have M ten, Vollebergh WAM, Bijl RV, Graaf R de. Predictors of incident care service utilisation for mental health problems in the Dutch general population. *Social Psychiatry and Psychiatric Epidemiology* 2001; 36: 141-149.
19. Kessler RC, Aguilar-Gaxiola S, Andrade L, Bijl R, Borges G, Caraveo-Anduaga JJ, DeWit DJ, Kolody B, Merikangas KR, Molnar BE, Vega WA, Walters EE, Wittchen H-U, Üstün TB. Mental-substance comorbidities in the ICPE surveys. *Psychiatria Fennica* 2001; 32 (suppl 2): 62-79.
20. Neeleman J, Ormel J, Bijl RV. The distribution of psychiatric and somatic ill-health: associations with personality and socio-economic status. *Psychosomatic Medicine* 2001; 63: 239-247.
21. Os J van, Hanssen M, Bijl RV, Vollebergh WAM. Prevalence of Psychotic Disorder and Community Level of Psychotic Symptoms. An Urban-Rural Comparison. *Archives of General Psychiatry* 2001; 58: 663-668.

22. Sandfort TGM, Graaf R de, Bijl RV, Schnabel P. Same-sex sexual behavior and psychiatric disorders: findings from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Archives of General Psychiatry* 2001; 58: 85-91.
23. Spijker J, Bijl RV, Graaf R de, Nolen WA. Determinants of poor 1-year course of DSM-III-R major depression in the general population. Results of the Netherlands Mental Health Survey and Incidence Study (NEMESIS) *Acta Psychiatrica Scandinavica* 2001; 103: 122-130.
24. Spijker J, Bijl RV, Graaf R de, Nolen WA. Care utilisation and outcome of DSM-III-R major depression in the general population. Results of the Netherlands Mental Health Survey and Incidence Study (NEMESIS) *Acta Psychiatrica Scandinavica* 2001; 104: 19-24.
25. Vollebergh WAM, Iedema J, Bijl RV, Graaf R de, Smit F, Ormel J. The structure and stability of common mental disorders: the Nemesis-study. *Archives of General Psychiatry* 2001; 58: 597-603.

## 2002

26. Bijl RV, Cuijpers P, Smit F. Psychiatric disorders in adult children of parents with a history of psychopathology. *Social Psychiatry and Psychiatric Epidemiology* 2002; 37: 7-12.
27. Bijl RV, Graaf R de, Ravelli A, Smit F, Vollebergh WAM. Gender and age-specific first incidence of DSM-III-R psychiatric disorders in the general population. Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Social Psychiatry and Psychiatric Epidemiology* 2002; 37: 372-379.
28. Graaf R de, Bijl RV, Ravelli A, Smit F, Vollebergh WAM. Predictors of first incidence of DSM-III-R psychiatric disorders in the general population: findings from the Netherlands Mental Health Survey and Incidence Study. *Acta Psychiatrica Scandinavica* 2002; 106: 303-313.
29. Graaf R de, Bijl RV, Smit F, Vollbergh WAM, Spijker J. Risk factors for 12-month comorbidity of mood, anxiety and substance use disorders: findings from the Netherlands Mental Health Survey and Incidence Study. *American Journal of Psychiatry* 2002; 159: 620-629.
30. Have M ten, Vollebergh WAM, Bijl RV, Ormel J. Combined effect of mental disorder and low social support on care service use for mental health problems in the Dutch general population. *Psychological Medicine* 2002; 32: 311-323.
31. Have M ten, Vollebergh WAM, Bijl RV, Nolen WA. Bipolar disorder in the general population in The Netherlands (prevalence, consequences and care utilisation): results from the Netherlands Mental Health Survey ad Incidence Study (NEMESIS). *Journal of Affective Disorders* 2002; 68: 203-213.
32. Kessler RC, Andrade LH, Bijl RV, Offord DR, Demler OV, Stein DJ. The effects of comorbidity on the onset and persistence of generalized anxiety disorder in the ICPE surveys. *Psychological Medicine* 2002; 32: 1213-1225.
33. Krabbendam L, Janssen I, Bak M, Bijl RV, Graaf R de, Os J van. Neuroticism and low self-esteem as risk factors for psychosis. *Social Psychiatry and Psychiatric Epidemiology* 2002; 37: 1-6.
34. Nolen WA, Have M ten, Vollebergh WAM. *Rate of detection and care utilisation by people with bipolar disorder. Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS)*. In: Maj M, Akiskal HS, López-Ibor JJ, Sartorius N (eds.) *Bipolar disorder*. John Wiley & Sons, Chichester, 2002, p. 84-87.

35. Os J van, Bak M, Hanssen M, Bijl RV, Graaf R de, Verdoux H. Cannabis use and psychosis: a longitudinal population-based study. *American Journal of Epidemiology* 2002; 156: 319-327.
36. Os J van, Hanssen M, Graaf R de, WAM Vollebergh. Does the urban environment independently increase the risk for both negative and positive features of psychosis? *Social Psychiatry and Psychiatric Epidemiology* 2002; 37: 460-464.
37. Schoemaker C, Smit F, Bijl RV, Vollebergh WAM. Bulimia nervosa following psychological and multiple child abuse: Support for the self-medication hypothesis in a population-based cohort study. *International Journal of Eating Disorders* 2002; 32: 381-388.
38. Spijker J, Graaf R de, Bijl RV, Beekman ATF, Ormel J, Nolen WA. Duration of major depressive episodes in the general population. Results of the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *British Journal of Psychiatry* 2002; 181: 208-213.
39. Vega WA, Aguilar-Gaxiola S, Andrade L, Bijl R, Borges G, Caraveo-Anduaga JJ, DeWit DJ, Heeringa SG, Kessler RC, Kolody B, Merikangas KR, Molnar BE, Walters EE, Warner LA, Wittchen H-U. Prevalence and age of onset for drug use in seven international sites: results from the international consortium of psychiatric epidemiology. *Drug and Alcohol Dependence* 2002; 68: 285-297.
40. Regeer EJ, Rosso ML, Have M ten, Vollebergh W, Nolen WA. Prevalence of bipolar disorder: A further study in The Netherlands. *Bipolar Disorders* 2002; 4: 37-38.

## 2003

41. Andrade L, Caraveo-Anduaga JJ, Berglund P, Bijl RV, Graaf R de, Vollebergh W, Dragomirecka E, Kohn R, Keller M, Kessler RC, Kawakami N, Kilic C, Offord D, Ustun TB, Wittchen H-U. The epidemiology of major depressive episodes: results from the International Consortium of Psychiatric Epidemiology (ICPE) Surveys. *International Journal of Methods in Psychiatric Research* 2003; 12: 3-21.
42. Bak M, Myin-Germeys I, Hanssen M, Bijl R, Vollebergh W, Delespaul P, Os J van. When does experience of psychosis result in a need for care? A prospective general population study. *Schizophrenia Bulletin* 2003; 29: 349-358.
43. Bak M, Delespaul P, Hanssen M, Graaf R de, Vollebergh W, Os J van. How false are “false” positive psychotic symptoms? *Schizophrenia Research* 2003; 62: 187-189.
44. Bijl RV, Graaf R de, Hiripi E, Kessler RC, Kohn R, Offord DR, Ustun TB, Vicente B, Vollebergh WAM, Walters EE, Wittchen H-U. The prevalence of treated and untreated mental disorders in five countries. *Health Affairs* 2003; 22: 122-133.
45. Graaf R de, Bijl RV, Spijker J, Beekman ATF, Vollebergh WAM. Temporal sequencing of lifetime mood disorders in relation to comorbid anxiety and substance use disorders: findings from the Netherlands Mental Health Survey and Incidence Study. *Social Psychiatry and Psychiatric Epidemiology* 2003; 38: 1-11.
46. Hanssen MSS, Bijl RV, Vollebergh W, Os J van. Self-reported psychotic experiences in the general population: a valid screening tool for DSM-III-R psychotic disorders? *Acta Psychiatrica Scandinavica* 2003; 107: 369-377.
47. Have M ten, Oldehinkel A, Vollebergh W, Ormel J. Does educational background explain inequalities in care service use for mental health problems in the Dutch general population. *Acta Psychiatrica Scandinavica* 2003; 107: 178-187.
48. Janssen I, Hanssen M, Bak M, Bijl RV, Graaf R de, Vollebergh W, McKenzie K, Os J van. Discrimination and delusional ideation. *British Journal of Psychiatry* 2003; 182: 71-76.

49. Kessler RC, Aguilar-Gaxiola S, Andrade L, Bijl R, Borges LG, Caraveo-Anduaga JJ, DeWit DJ, Kolody B, Merikangas KR, Molnar BE, Vega WA, Walters EE, Wittchen H-U). *Cross-national comparisons of co-morbidities between substance use disorders and mental disorders: results from the International Consortium in Psychiatric Epidemiology*. In: Bukoski WJ, Sloboda Z (eds). *Handbook for Drug Abuse Prevention Theory, Science, and Practice*. Plenum Publishing Corporation, New York, 2003, pp. 447-471.
50. Kruijshaar ME, Hoeymans N, Bijl RV, Spijker J, Essink-Bot ML. Levels of disability in major depression. Findings from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Journal of Affective Disorders* 2003; 77: 53-64.
51. Maric N, Krabbendam L, Vollebergh W, Graaf R de, Os J van. Sex differences in symptoms of psychosis in a non-selected, general population sample. *Schizophrenia Research* 2003; 63: 89-95.
52. Os J van, Hanssen M, Bak M, Bijl RV, Vollebergh WAM. Do urbanicity and familial liability coparticipate in causing psychosis? *American Journal of Psychiatry* 2003; 160: 477-482.
53. Overbeek G, Vollebergh W, RCME Engels, Meeus W. Young adults' relationship transitions and the incidence of mental disorders. A three-wave longitudinal study. *Social Psychiatry and Psychiatric Epidemiology* 2003; 38: 669-676.
54. Sandfort TGM, Graaf R de, Bijl RV. Same-sex sexuality and quality of life: findings from the Netherlands mental health Survey and Incidence Study. *Archives of Sexual Behavior* 2003; 32: 15-22.

## **2004**

55. Buist-Bouwman MA, Ormel J, Graaf R de, Vollebergh WAM. Functioning after a major depressive episode: complete or incomplete recovery? *Journal of Affective Disorders* 2004; 82: 363-371.
56. Cuijpers P, Graaf R de, Dorsselaer S van. Minor depression: risk profiles, functional disability, health care use and risk of developing major depression. *Journal of Affective Disorders* 2004; 79: 71-79.
57. Graaf R de, Bijl RV, Have M ten, Beekman ATF, Vollebergh WAM. Rapid onset of comorbidity of common mental disorders: findings from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Acta Psychiatrica Scandinavica* 2004; 109: 55-63.
58. Graaf R de, Have M ten, Dorsselaer S van, Schoemaker C, Vollebergh WAM. Negative and positive participant responses to the Composite International Diagnostic Interview. Results of the Netherlands Mental Health Survey and Incidence Study. *Social Psychiatry and Psychiatric Epidemiology* 2004; 39: 521-527.
59. Graaf R de, Bijl RV, Have M ten, Beekman ATF, Vollebergh, WAM. Pathways to comorbidity: the transition of pure mood, anxiety and substance use disorders into comorbid conditions in a longitudinal population-based study. *Journal of Affective Disorders* 2004; 82: 461-467.
60. Hakkaart-van Roijen L, Hoeijenbos MB, Regeer EJ, Have M ten, Nolen WA, Veraart CPWM, Rutten FFH. The societal costs and quality of life of patients suffering from bipolar disorder in the Netherlands. *Acta Psychiatrica Scandinavica* 2004; 110: 383-392.
61. Have M ten, Graaf R de, Vollebergh W, Beekman A. What depressive symptoms are associated with the use of care services? Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Journal of Affective Disorders* 2004; 80: 239-248.

62. Janssen I, Krabbendam L, Bak M, Hanssen M, Vollebergh W, Graaf R de, Os J van. Childhood abuse as a risk factor for psychotic experiences. *Acta Psychiatrica Scandinavica* 2004; 109: 38-45.
63. Krabbendam L, Myin-Germeys I, Hanssen M, Bijl RV, Graaf R de, Vollebergh W, Bak M, Os J van. Hallucinatory experiences and onset of psychotic disorder: evidence that the risk is mediated by delusion formation. *Acta Psychiatrica Scandinavica* 2004; 110: 264-272.
64. Krabbendam L, Myin-Germeys I, Graaf R de, Vollebergh W, Nolen WA, Iedema J, Os J van. Dimensions of depression, mania, and psychosis in the general population. *Psychological Medicine* 2004; 34: 1177-1186.
65. Maric N, Myin-Germeys I, Delespaul P, Graaf R de, Vollebergh W, Os J van. Is our concept of schizophrenia influenced by Berkson's bias? *Social Psychiatry and Psychiatric Epidemiology* 2004; 39: 600-605.
66. Neeleman J, Bijl R, Ormel J. Neuroticism, a central link between somatic and psychiatric morbidity: path analysis of prospective data. *Psychological Medicine* 2004; 34: 521-531.
67. Neeleman J, Graaf R de, Vollebergh W. The suicidal process; prospective comparison between early and later stages. *Journal of Affective Disorders* 2004; 82: 43-52
68. Ormel J, Oldehinkel AJ, Nolen WA, Vollebergh W. Psychosocial disability before, during, and after a major depressive episode. A 3-wave population-based study of state, scar and trait effects. *Archives of General Psychiatry* 2004; 61: 387-392.
69. Ormel J, Oldehinkel AJ, Vollebergh W. Vulnerability before, during, and after a major depressive episode. A 3-wave population-based study. *American Journal of Psychiatry* 2004; 61: 990-996.
70. Overbeek G, Vollebergh W, Meeus W, Graaf R de, RCME Engels. Young adults' recollections of parental bonds. Does satisfaction with partner relationships mediate the longitudinal association with mental disorders? *Social Psychiatry and Psychiatric Epidemiology* 2004; 39: 703-710.
71. Regeer EJ, Have M ten, Rosso ML, Hakkaart-van Roijen L, Vollebergh W, Nolen WA. Prevalence of bipolar disorder in the general population: a reappraisal study of the Netherlands Mental Health Survey and Incidence Study. *Acta Psychiatrica Scandinavica* 2004; 110: 374-382.
72. Smit F, Beekman A, Cuijpers P, Graaf R de, Vollebergh W. Selecting key-variables for depression prevention: Results from a population-based prospective epidemiological study. *Journal of Affective Disorders* 2004; 81: 241-249.
73. Spijker J, Graaf R de, Bijl RV, Beekman ATF, Ormel J, Nolen WA. Functional disability and depression in the general population. Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Acta Psychiatrica Scandinavica* 2004; 110: 208-214.
74. Spijker J, Graaf R de, Bijl RV, Beekman ATF, Ormel J, Nolen WA. Determinants of persistence of major depressive episodes in the general population. Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Journal of Affective Disorders* 2004; 81: 231-240.

## 2005

75. Bak M, Myin-Germeys I, Delespaul P, Vollebergh W, Graaf R de, Os J van. Do different psychotic experiences differentially predict need for care in the general population? *Comprehensive Psychiatry* 2005; 46: 192-199.
76. Bak M, Krabbendam L, Janssen I, Graaf R de, Vollebergh W, Os J van. Early trauma may increase the risk for psychotic experiences by impacting on emotional response and perception of control. *Acta Psychiatrica Scandinavica* 2005; 112: 360-366.

77. Bruijn C de, Brink W van den, Graaf R de, Vollebergh WAM. The craving withdrawal model for alcoholism; towards the DSM-V. Improving the discriminant validity of alcohol use disorder diagnosis. *Alcohol and Alcoholism* 2005; 40: 314-322.
78. Bruijn C de, Brink W van den, Graaf R de, Vollebergh WAM. Alcohol abuse and dependence criteria as predictors of a chronic course of alcohol use disorders in the general population. *Alcohol & Alcoholism* 2005; 40: 441-446.
79. Buist-Bouwman MA, Graaf R de, Vollebergh WAM, Ormel J. Comorbidity of physical and mental disorders and the effect on work-loss days. *Acta Psychiatrica Scandinavica* 2005; 111: 436-443.
80. Graaf R de, Dorsselaer S van, Have M ten, Schoemaker C, Vollebergh WAM. Seasonal variations in mental disorders in the general population of a country with a maritime climate country. Findings from the Netherlands Mental Health Survey and Incidence Study. *American Journal of Epidemiology* 2005; 162: 654-661.
81. Hanssen M, Krabbendam L, Graaf R de, Vollebergh W, Os J van. Role of distress in delusion formation. *British Journal of Psychiatry* 2005; 187 (suppl 48) s55-s58.
82. Hanssen M, Bak M, Bijl R, Vollebergh W, Os J van. The incidence and outcome of subclinical psychotic experiences in the general population. *British Journal of Clinical Psychology* 2005; 44: 181-191.
83. Have M ten, Oldehinkel A, Vollebergh W, Ormel J. Does neuroticism explain variations in care service use for mental health problems in the general population? Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Social Psychiatry and Psychiatric Epidemiology* 2005; 40: 425-431.
84. Janssen I, Krabbendam L, Hanssen M, Bak M, Vollebergh W, Graaf R de, Os J van. Are apparent associations between parental representations and psychosis risk mediated by early trauma? *Acta Psychiatrica Scandinavica* 2005; 112: 372-375.
85. Krabbendam L, Myin-Germeys I, Hanssen M, Graaf R de, Vollebergh W, Bak M, Os J van. Development of depressed mood predicts onset of psychotic disorder in individuals who report hallucinatory experiences. *British Journal of Clinical Psychology* 2005; 44: 113-125.
86. Kruijshaar ME, Barendregt J, Vos T, Graaf R de, Spijker J, Andrews G. Lifetime prevalence estimates of major depression: An indirect estimation method and a quantification of recall bias. *European Journal of Epidemiology* 2005; 20: 103-111.
87. Kruijshaar ME, Hoeymans N, Spijker J, Stouthard MEA, Essink-Bot ML. Has the burden of depression been overestimated? *Bulletin of the World Health Organization* 2005; 84: 443-448.
88. Leue C, Neeleman J, Graaf R de, Vollebergh W, Stockbrügger RW, Os J van. Bidirectional associations between depression / anxiety and bowel disease in a population based cohort (letter). *Journal Epidemiology Community Health* 2005; 59: 434-435.
89. Sareen J, Cox BJ, Afifi TO, Graaf R de, Asmundson GJG, Have M ten, Stein MB. Anxiety disorders and risk for suicidal ideation and suicide attempts: a population-based longitudinal study of adults. *Archives of General Psychiatry* 2005; 62: 1249-1257.
90. Thewissen V, Myin-Germeys I, Bentall R, Graaf R de, Vollebergh W, Os J van. Hearing impairment and psychosis revisited. *Schizophrenia Research* 2005; 76: 99-103.

## 2006

91. Bruijn C de, Brink W van den, Graaf R de, Vollebergh WAM. The three year course of alcohol use disorders in the general population: DSM-IV, ICD-10 and the Craving Withdrawal Model. *Addiction* 2006; 101: 385-392.

92. Cuijpers P, Meer R van der, Have M ten, Graaf R de. Epidemiology of smoking and co-morbid psychiatric disorders (letter). *Journal European Neuropsychopharmacology* 2006; 16 (Supplement 4), S200.
93. Enns MW, Cox BJ, Afifi TO, Graaf R de, Have M ten, Sareen J. Childhood adversities and risk for suicidal ideation and attempts: a longitudinal population-based study. *Psychological Medicine* 2006; 36: 1769-1778.
94. Graaf R de, Sandfort T, Have M ten. Suicidality and sexual orientation: differences between men and women in a general population-based sample from The Netherlands. *Archives of Sexual Behavior* 2006; 35: 253-262.
95. Henquet C, Krabbendam L, Graaf R de, Have M ten, Os J van. Cannabis use and expression of mania in the general population. *Journal of Affective Disorders* 2006; 95: 103-110.
96. Kaymaz N, Krabbendam L, Graaf R de, Nolen W, Have M ten, Os J van. Evidence that the urban environment specifically impacts on the psychotic but not the affective dimension of bipolar disorder. *Social Psychiatry and Psychiatric Epidemiology* 2006; 41: 679-685.
97. Have M ten, Iedema J, Ormel J, Vollebergh W. Explaining service use for mental health problems in the Dutch general population: the role of resources, emotional disorder and functional impairment. *Social Psychiatry and Psychiatric Epidemiology* 2006; 41: 285-293.
98. Overbeek G, Vollebergh WAM, Graaf R de, Scholte R, Kemp R de, Engels R. Longitudinal associations of marital quality and marital dissolution with the incidence of DSM-III-R disorders. *Journal of Family Psychology* 2006; 20: 284-291.
99. Regeer EJ, Krabbendam L, Graaf R de, Have M ten, Nolen WA, Os J van. A prospective study of the transition rates of subthreshold (hypo)mania and depression in the general population. *Psychological Medicine* 2006; 36: 619-627.
100. Smit F, Cuijpers P, Oostenbrink J, Batelaan N, Graaf R de, Beekman A. Costs of nine common mental disorders: implications for curative and preventive psychiatry. *Journal of Mental Health Policy and Economics* 2006; 9: 193-200.
101. Spijker J, Graaf R de, Ormel J, Nolen WA, Grobbee DE, Burger H. The persistence of depression score. *Acta Psychiatrica Scandinavica* 2006; 114: 411-416.
102. Werf S van der, Kaptein KI, Jonge P de, Spijker J, Graaf R de, Korf J. Major depressive episodes and random mood. *Archives of General Psychiatry* 2006; 63: 509-518.

## 2007

103. Afifi TO, Enns MW, Cox BJ, Graaf R de, Have M ten, Sareen J. Child abuse and health-related quality of life in adulthood. *Journal of Nervous and Mental Disease* 2007; 195: 797-804.
104. Batelaan N, Graaf R de, Balkom A van, Vollebergh W, Beekman A. Thresholds for health and thresholds for illness: panic disorder versus subthreshold panic disorder. *Psychological Medicine* 2007; 37: 247-256.
105. Batelaan N, Smit F, Graaf R de, Balkom A van, Vollebergh W, Beekman A. Economic costs of full-blown and subthreshold panic disorder. *Journal of Affective Disorders* 2007; 104: 127-136.
106. Cougnard A, Marcelis M, Myin-Germeys I, Graaf R de, Vollebergh W, Krabbendam L, Lieb R, Wittchen H-U, Henquet C, Spauwen J, Os J van. Does normal developmental expression of psychosis combine with environmental risk to cause persistence of psychosis? A psychosis proneness-persistence model. *Psychological Medicine* 2007; 37: 513-527.



107. Cuijpers P, Smit F, Oostenbrink J, Graaf R de, Have M ten, Beekman A. Economic costs of minor depression: a population-based study. *Acta Psychiatrica Scandinavica* 2007; 115: 229-236.
108. Cuijpers P, Smit F, Have M ten, Graaf R de. Smoking is associated with first-ever incidence of mental disorders: a prospective population-based study. *Addiction* 2007; 102: 1303-1309.
109. Kaptein KI, Jonge P de, Korf J, Spijker J, Graaf R de, Werf SY van der. Random-mood interpretation of determinants for major depression. *Psychological Medicine* 2007; 37: 1261-1271.
110. Kaymaz N, Os J van, Graaf R de, Have M ten, Nolen W, Krabbendam L. The impact of subclinical psychosis on the transition from subclinical mania to bipolar disorder. *Journal of Affective Disorders* 2007; 98: 55-64.
111. Köhler S, Os J van, Graaf R de, Vollebergh W, Verhey F, Krabbendam L. Psychosis risk as a function of age at onset. A comparison between early- and late-onset psychosis in a general population sample. *Social Psychiatry and Psychiatric Epidemiology* 2007; 42: 288-294.
112. Laar M van, Dorsselaer S, Monshouwer K, Graaf R de. Does cannabis use predict the first incidence of mood and anxiety disorders in the adult populaion? *Addiction* 2007; 102: 1251-1260.
113. Marquenie LA, Schadé A, Balkom AJLM van, Comijs HC, Graaf R de, Vollebergh WAM, Dyck R van, Brink W van den. Origin of the comorbidity of anxiety disorders and alcohol dependence: findings from a general population study. *European Addiction Research* 2007; 13: 39-49.
114. Overbeek G, Have M ten, Vollebergh W, Graaf R de. Parental lack of care and overprotection: longitudinal associations with DSM-III-R disorders. *Social Psychiatry and Psychiatric Epidemiology* 2007; 42: 87-93.
115. Peen J, Dekker J, Schoevers RA, Have M ten, Graaf R de, Beekman AT. Is the prevalence of psychiatric disorders associated with urbanization? *Social Psychiatry and Psychiatric Epidemiology* 2007; 42: 984-989.
116. Plaisier I, Bruijn JGM, Graaf R de, Have M ten, Beekman A, Penninx BW. The contribution of working conditions and social support to the onset of depressive and anxiety disorders among male and female employees. *Social Science & Medicine* 2007; 64: 401-410.
117. Sareen J, Jagdeo A, Cox BJ, Have M ten, Clara I, Belik S-L, Graaf R de, Stein MB. Perceived barriers toward mental health service utilization in the United States, Ontario, and the Netherlands. *Psychiatric Services* 2007; 58: 357-364.
118. Shevlin M, Adamson G, Vollebergh W, Graaf R de, Os J van. An application of item response mixture modelling to psychosis indicators in two large community samples. *Social Psychiatry and Psychiatric Epidemiology* 2007; 42: 771-779.
119. Smits N, Smit F, Cuijpers P, Graaf R de. Using decision theory to derive optimal cut-off scores of screening instruments: an illustration explicating costs and benefits of mental health screening. *International Journal of Methods in Psychiatric Research* 2007; 16: 219-229.
120. Spijker J, Graaf R de, Oldehinkel T, Nolen WA, Ormel J. Are vulnerability effects of personality and psychosocial functioning on depression accounted for by subthreshold symptoms? *Depression and Anxiety* 2007; 24: 472-478.
121. Thewissen V, Myin-Germeys I, Bentall R, Graaf R de, Vollebergh W, Os J van. Instability in self-esteem and paranoia in a general population sample. *Social Psychiatry and Psychiatric Epidemiology* 2007; 42: 1-5.

## 2008

122. Acarturk C, Graaf R de, Straten A van, Have M ten, Cuijpers P. Social phobia and number of social fears, and their association with comorbidity, health-related quality of life and help seeking. A population-based study. *Social Psychiatry and Psychiatric Epidemiology* 2008; 43: 273-279.
123. Depla MFIA, Have ML ten, Balkom AJLM van, Graaf R de. Specific fears and phobias in the general population: results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Social Psychiatry and Psychiatric Epidemiology* 2008; 43: 200-208.
124. Michon HWC, Have M ten, Kroon H, Weeghel J van, Graaf R de, Schene AH. Mental disorders and personality traits as determinants of impaired work functioning. *Psychological Medicine* 2008; 38: 1627-1637.
125. Penninx BWJH, Beekman ATF, Smit JH, Zitman FG, Nolen WA, Spinhoven P, Cuijpers P, Jong P de, Marwijk HWJ van, Assendelft WJJ, Meer K van der, Verhaak P, Wensing M, Graaf R de, Hoogendijk WJ, Ormel J, Dyck R van, for the NESDA research consortium. The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. *International Journal of Methods in Psychiatric Research* 2008; 17: 121-140.
126. Plaisier I, Bruijn JGM, Smit JH, Graaf R de, Have M ten, Beekman ATF, Dyck R van, Penninx BWJH. Work and family roles and the association with depressive and anxiety disorders: Differences between men and women. *Journal of Affective Disorders* 2008; 105: 63-72.
127. Plaisier I, Beekman ATF, Bruijn JGM de, Graaf R de, Have M ten, Smit JH, Dyck R van, Penninx BWJH. The effect of social roles on mental health: A matter of quantity or quality? *Journal of Affective Disorders* 2008; 111: 261-270.
128. Verhagen M, Meij A van der, Franke B, Vollebergh W, Graaf R de, Buitelaar J, Janzing JG. Familiarity of major depressive disorder and gender differences in comorbidity. *Acta Psychiatrica Scandinavica* 2008; 118: 130-138.
129. Verhagen M, Meij A van der, Franke B, Vollebergh WAM, Graaf R de, Buitelaar JK, Janzing JG. Familiarity of major depressive disorder and patterns of lifetime comorbidity. The NEMESIS and GenMood studies; a comparison of three samples. *European Archives of Psychiatry and Clinical Neuroscience* 2008; 258: 505-512.

## 2009

130. Acarturk C, Smit F, Graaf R de, Straten A van, Have M ten, Cuijpers P. Incidence of social phobia and identification of its risk indicators: a model for prevention. *Acta Psychiatrica Scandinavica* 2009; 119: 62-70.
131. Acarturk C, Smit F, Graaf R de, Straten A van, Have M ten, Cuijpers P. Economic costs of social phobia: a population-based study. *Journal of Affective Disorders* 2009; 115: 421-429.
132. Cuijpers P, Smits N, Donker T, Have M ten, Graaf R de. Screening for mood and anxiety disorders with the five-item, the three-item, and the two-item Mental Health Inventory. *Psychiatry Research* 2009; 168: 250-255.
133. Have M ten, Graaf R de, Dorsselaer S van, Verdurmen J, Land H van 't, Vollebergh W, Beekman A. Incidence and course of suicidal ideation and suicide attempts in the general population. *The Canadian Journal of Psychiatry* 2009; 54: 824-833.
134. Janzing JGE, Graaf R de, Have M ten, Vollebergh WA, Verhagen M, Buitelaar JK. Familiarity of depression in the community; associations with gender and phenotype of major depressive disorder. *Social Psychiatry and Psychiatric Epidemiology* 2009; 44: 1067-1074.

135. Regeer EJ, Krabbendam L, Graaf R de, Have M ten, Nolen WA, Os J van. Berkson's bias and the mood dimensions of bipolar disorder. *International Journal of Methods in Psychiatric Research* 2009; 18: 279-286.
136. Rhebergen D, Beekman ATF, Graaf R de, Nolen WA, Spijker J, Hoogendijk WJ, Penninx BWJH. The three-year naturalistic course of major depressive disorder, dysthymic disorder and double depression. *Journal of Affective Disorders* 2009; 115: 450-459.
137. Rietdijk J, Os J van, Graaf R de, Delespaul P, Gaag M van der. Are social phobia and paranoia related, and which comes first? *Psychosis* 2009; 1: 29-38.

## 2010

138. Batelaan NM, Graaf R de, Spijker J, Smit JH, Balkom AJLM van, Vollebergh WAM, Beekman ATF. The course of panic attacks in individuals with panic disorder and subthreshold panic disorder: a population-based study. *Journal of Affective Disorders* 2010; 121: 30-38.
139. Batelaan NM, Graaf R de, Penninx BWJH, Balkom AJLM van, Vollebergh WAM, Beekman ATF. The 2-year prognosis of panic episodes in the general population. *Psychological Medicine* 2010; 40: 147-157.
140. Batelaan NM, Smit F, Graaf R de, Balkom AJLM van, Vollebergh WAM, Beekman ATF. Identifying target groups for the prevention of anxiety disorders in the general population. *Acta Psychiatrica Scandinavica* 2010; 122: 56-65.
141. Bruijn C de, Beun S, Graaf R de, Have M ten, Denys D. Subthreshold symptoms and obsessive-compulsive disorder: evaluating the diagnostic threshold. *Psychological Medicine* 2010; 40: 989-997.
142. Cuijpers P, Smit F, Penninx B, Graaf R de, Have M ten, Beekman A. Economic costs of neuroticism: a population-based study. *Archives of General Psychiatry* 2010; 67: 1086-1093.
143. Feltz-Cornelis CM van der, Have M ten, Penninx BW, Beekman ATF, Smit JH, Graaf R de. Presence of comorbid somatic disorders among patients referred to mental health care in the Netherlands. *Psychiatric Services* 2010; 61: 1119-1125.
144. Have M ten, Graaf R de. Focus suicide prevention also on suicidal ideation and suicide attempts (letter). *The Canadian Journal of Psychiatry* 2010; 55: 398-399.
145. Land H van 't, Verdurmen J, Have M ten, Dorsselaer S van, Beekman A, Graaf R de. The association between arthritis and psychiatric disorders; results from a longitudinal population-based study. *Journal of Psychosomatic Research* 2010; 68: 187-193.
146. Overbeek G, Vermulst A, Graaf R de, Have M ten, Engels R, Scholte R. Positive life events and mood disorders: longitudinal evidence for an erratic lifecourse hypothesis. *Journal of Psychiatric Research* 2010; 44: 1095-1100.
147. Rhebergen D, Beekman ATF, Graaf R de, Nolen WA, Spijker J, Hoogendijk WJ, Penninx BWJH. Trajectories of recovery of social and physical functioning in major depression, dysthymic disorder and double depression: a 3-year follow-up. *Journal of Affective Disorders* 2010; 124: 148-156.
148. Spijker J, Batelaan N, Graaf R de, Cuijpers P. Who is MADD? Mixed anxiety depressive disorder in the general population. *Journal of Affective Disorders* 2010; 121: 180-183.
149. Spijker J, Graaf R de, Have M ten, Nolen WA, Speckens A. Predictors of suicidality in depressive spectrum disorders in the general population. Results of the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Social Psychiatry and Psychiatric Epidemiology* 2010; 45: 513-521.

## 2011

150. Bergsma A, Have M ten, Veenhoven R, Graaf R de. Most people with mental disorders are happy; A 3-year follow-up in the Dutch general population. *Journal of Positive Psychology* 2011; 6: 253-259.
151. Bergsma A, Veenhoven R, Have M ten, Graaf R de. Do they know how happy they are? On the value of self-rated happiness of people with a mental disorder. *Journal of Happiness Studies* 2011; 12: 793-806.
152. Bergsma A, Veenhoven R, Have M ten, Graaf R de. The loss of happy life years associated with mental disorders in the Netherlands. *Netherlands Journal of Psychology* 2011; 66: 33-34.
153. Blom R, Hagestein-de Bruijn C, Graaf R de, Have M ten, Denys D. Obsessions in normality and psychopathology. *Depression and Anxiety* 2011; 28: 870-875.
154. Blom RM, Koeter M, Brink W van den, Graaf R de, Have M ten, Denys D. Co-occurrence of obsessive-compulsive disorder and substance use disorder in the general population. *Addiction* 2011; 106: 2178-2185.
155. Cuijpers P, Smit F, Unger F, Stikkelbroek Y, Have M ten, Graaf R de. The disease burden of childhood adversities in adults: A population-based study. *Child Abuse & Neglect* 2011; 35: 937-945.
156. Dael F van, Os J van, Graaf R de, Have M ten, Krabbendam L, Myin-Germeys I. Can obsessions drive you mad? Longitudinal evidence that obsessive-compulsive symptoms worsen the outcome of early psychotic experiences. *Acta Psychiatrica Scandinavica* 2011; 123: 136-146.
157. Have M ten, Graaf R de, Monshouwer K. Physical exercise in adults and mental health status. Findings from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Journal of Psychosomatic Research* 2011; 71: 342-438.
158. Land H van 't, Verdurmen J, Have M ten, Dorsselaer S van, Graaf R de. The association between chronic back pain and psychiatric disorders; results from a longitudinal population-based study. In: *Anxiety and related disorders* (Ed: Szirmai A), pp 247-256. InTech, 2011. ISBN 978-953-307-254-8.
159. Rhebergen D, Batelaan NM, Graaf R de, Nolen WA, Spijker J, Beekman ATF, Penninx BWJH. The 7-year course of depression and anxiety in the general population. *Acta Psychiatrica Scandinavica* 2011; 123: 297-306.
160. Smitten M ter, Graaf R de, Loey NE van. Prevalence and co-morbidity of psychiatric disorders 1-4 years post-burn. *Burns* 2011; 37: 752-760.
161. Visser I, Wekking EM, Boer AGEM de, Joode EA de, Hout MSE van, Dorsselaer S van, Ruhe HG, Huijser J, Laan G van der, Dijk FJH van, Schene AH. Prevalence of psychiatric disorders in patients with chronic solvent induced encephalopathy (CSE). *NeuroToxicology* 2011; 32: 916-922.

## 2012

162. Batelaan N, Spijker J, Graaf R de, Cuijpers P. Mixed anxiety depression should not be included in DSM-5. *Journal of Nervous and Mental Disease* 2012; 200: 495-498.
163. Batelaan NM, Rhebergen D, Graaf R de, Spijker J, Beekman ATF, Penninx BW. Panic attacks as a dimension of psychopathology: evidence for associations with onset and course of mental disorders and level of functioning. *Journal of Clinical Psychiatry* 2012; 73: 1195-1202.
164. Konings M, Stefanis N, Kuepper R, Graaf R de, Have M ten, Os J van, Bakoula C, Henquet C. Replication in two independent population-based samples that childhood maltreatment and cannabis use synergistically impact on psychosis risk. *Psychological Medicine* 2012; 42: 149-159.

165. Rhebergen D, Lamers F, Spijker J, Graaf R de, Beekman ATF, Penninx BWJH. Course trajectories of unipolar depressive disorders identified by latent class growth analysis. *Psychological Medicine* 2012; 42: 1383-1396.
166. Stikkelbroek Y, Prinzie P, Graaf R de, Have M ten, Cuijpers P. Parental death during childhood: psychopathology in adulthood. *Psychiatry Research* 2012; 198: 516-520.

### 2013

167. Hardeveld F, Spijker J, Graaf R de, Nolen WA, Beekman ATF. Recurrence of major depressive disorder and its predictors in the general population: Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Psychological Medicine* 2013; 43: 39-48.
168. Lokkerbol J, Adema D, Graaf R de, Have M ten, Cuijpers P, Beekman A, Smit F. Non-fatal burden of disease due to mental disorders. *Social Psychiatry and Psychiatric Epidemiology* 2013; 48: 1591-1599.
169. Smeets F, Lataster T, Winkel R van, Graaf R de, Have M ten, Os J van. Testing the hypothesis that psychotic illness begins when subthreshold hallucinations combine with delusional ideation. *Acta Psychiatrica Scandinavica* 2013; 127: 34-47.

### 2014

170. Gevonden MJ, Selten J-P, Myin-Germeys I, Graaf R de, Have M ten, Dorsselaer S van, Os J van, Veling W. Sexual minority status and psychotic symptoms. findings from the Netherlands Mental Health Survey and Incidence Studies (NEMESIS). *Psychological Medicine* 2014; 44: 421-433.
171. Werf M van der, Hanssen M, Köhler S, Verkaaik M, Verhey FR, RISE Investigators, Winkel R van, Os J van, Allardyce J. Systematic review and collaborative recalculation of 133693 incident cases of schizophrenia. *Psychological Medicine* 2014; 44: 9-16.
172. Nierop M van, Lataster T, Smeets F, Gunther N, Zelst C van, Graaf R de, Have M ten, Dorsselaer S van, Bak M, Myin-Germeys I, Viechtbauer W, Os J van, Winkel R van. Psychopathological mechanisms linking childhood traumatic experiences to risk of psychotic symptoms: analysis of a large, representative population-based sample. *Schizophrenia Bulletin* 2014; 40 Suppl 2; S123-S130.

### 2015

173. Kruijshaar ME, Barendregt J, Vos T, Graaf R de, Spijker J, Andrews G. *Lifetime prevalence estimates of major depression: An indirect estimation method and a quantification of recall bias*. In: Psychopathology and Abnormal Psychology. Volume II: Anxiety, mood & trauma-related disorders. Ed: G.C.L. Davey. SAGE Publications, Chapter 28, pp 367-380.
174. Regeer EJ, Kupka RW, Have M ten, Vollebergh W, Nolen WA. Low self-recognition and awareness of past hypomanic and manic episodes in the general population. *International Journal of Bipolar Disorders* 2015; 3:22. DOI 10.1186/s40345-015-0039-8.

### 2016

175. Thielen F, Have M ten, Graaf R de, Cuijpers P, Beekman A, Evers S, Smit F. Long-term economic consequences of child maltreatment: a population-based study. *European Child and Adolescent Psychiatry* 2016; 25: 1297-1305.

### 2017

176. Madsen IEH, Nyberg ST, Magnusson Hanson LL, Ferrie JE, Ahola K, Alfredsson L, Batty GD, Bjorner JB, Borritz M, Burr H, Chastang JF, Graaf R de, Dragano N, Brødsgaard Grynderup M, Hamer M, Jokela M, Knutsson A, Kolstad H, Koskenvuo M,

- Koskinen A, Leineweber C, Mikkelsen S, Niedhammer I, Nielsen ML, Nordin M, Oksanen T, Pejtersen JH, Pentti J, Plaisier I, Salo P, Singh-Manoux A, Suominen S, Have M ten, Theorell T, Frølund Thomsen J, Toppinen-Tanner S, Vahtera J, Väänänen A, Westerholm PJM, Westerlund H, Fransson E, Heikkilä K, Virtanen M, Rugulies R, Kivimäki M, for the IPD-Work Consortium. Job strain as a risk factor for clinical depression: Systematic review and meta-analysis with additional individual participant data. *Psychological Medicine* 2017; 47: 1342-1356.
177. Wang Y, Henriksen CA, Have M ten, Graaf R de, Stein MB, Enns MW, Sareen J. Common mental disorder diagnosis and need for treatment are not the same: Findings from the NEMESIS Study. *Administration and Policy in Mental Health and Mental Health Services Research* 2017; 44: 572-581.
178. Wardenaar KJ, Wanders RBK, Have M ten, Graaf R de, Jonge P de. Using a hybrid subtyping model to capture patterns and dimensionality of depressive and anxiety symptomatology in the general population. *Journal of Affective Disorders* 2017; 215: 125-134.

## Nederlandstalige artikelen / Articles in Dutch

### 1997

1. Bijl RV. *Schizofrenie*. In: Maas IAM, Gijzen R, Lobbezoo IE, Poos MJJC (eds). Volksgezondheid Toekomst Verkenning 1997. I. De Gezondheidstoestand: een actualisering. Bilthoven/Maarssen, RIVM, Elsevier/De Tijdstroom, 1997, p. 293-299.
2. Bijl RV, Rijk C de. *Depressie*. In: Maas IAM, Gijzen R, Lobbezoo IE, Poos MJJC (eds). Volksgezondheid Toekomst Verkenning 1997. I. De Gezondheidstoestand: een actualisering. Bilthoven/Maarssen, RIVM, Elsevier/De Tijdstroom, 1997, p. 300-308.
3. Bijl RV, Zessen G van, Ravelli A. Psychiatrische morbiditeit onder volwassenen in Nederland: het NEMESIS-onderzoek. II. Prevalentie van psychiatrische stoornissen. *Nederlands Tijdschrift voor Geneeskunde* 1997; 141: 2453-2460.
4. Bijl RV, Zessen G van, Ravelli A, Rijk C de, Langendoen Y. Psychiatrische morbiditeit onder volwassenen in Nederland: het NEMESIS-onderzoek. I. Doelstellingen, opzet en methoden. *Nederlands Tijdschrift voor Geneeskunde* 1997; 141: 2448-2452.
5. Zessen G van, RV Bijl, Ravelli A, Rijk K de. *Voorkomen van psychische stoornissen: het Nemesis project*. In: Maas IAM, Gijzen R, Lobbezoo IE, Poos MJJC (eds). Volksgezondheid Toekomst Verkenning 1997. I. De Gezondheidstoestand: een actualisering. Bilthoven/Maarssen, RIVM, Elsevier/De Tijdstroom, 1997, p. 860-869.
6. Zessen G van. *Seksueel gedrag*. In: Maas IAM, Gijzen R, Lobbezoo IE, Poos MJJC (eds). Volksgezondheid Toekomst Verkenning 1997. I. De Gezondheidstoestand: een actualisering. Bilthoven/Maarssen, RIVM, Elsevier/De Tijdstroom, 1997, p. 700-706.
7. Zwart W de, Bijl RV. *Afhankelijkheid van alcohol, drugs en andere middelen*. In: Maas IAM, Gijzen R, Lobbezoo IE, Poos MJJC (eds). Volksgezondheid Toekomst Verkenning 1997. I. De Gezondheidstoestand: een actualisering. Bilthoven/Maarssen, RIVM, Elsevier/De Tijdstroom, 1997, p. 323-335.

### 1998

8. Bijl RV, Ravelli A. Psychiatrische morbiditeit, zorggebruik en zorgbehoefte. Resultaten van de Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Tijdschrift voor gezondheidswetenschappen* 1998; 76: 446-457.
9. Ravelli A, Bijl RV, Zessen G van. Comorbiditeit van psychiatrische stoornissen in de Nederlandse bevolking; resultaten van de Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Tijdschrift voor Psychiatrie* 1998; 40: 531-544.

### 2001

10. Spijker J, Bijl RV, Dekker J, Peen J. Psychiatrische morbiditeit in de grote steden. Een vergelijking van Amsterdam in het bijzonder met de drie overige grote steden (Den Haag, Rotterdam en Utrecht) tezamen en de rest van Nederland. *Tijdschrift voor Gezondheidswetenschappen* 2001; 79: 155-161.

### 2002

11. Have M ten, Schoemaker C, Vollebergh WAM. Gendersverschillen in psychische stoornissen, consequenties en zorggebruik. Resultaten van de Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Tijdschrift voor Psychiatrie* 2002; 44: 367-375.
12. Peen J, Bijl RV, Spijker J, Dekker J. Neemt de prevalentie van psychiatrische stoornissen toe met de stedelijkheidsgraad? *Tijdschrift voor Psychiatrie* 2002; 44: 225-235.
13. Sandfort TGM, Graaf R de, Bijl RV, Schnabel P. Psychiatrische morbiditeit onder volwassenen in Nederland: het NEMESIS-onderzoek. III. Psychiatrische stoornissen

vaker bij homo- dan bij heteroseksuele personen. *Nederlands Tijdschrift voor Geneeskunde* 2002; 146: 1687-1691.

14. Sandfort ThGM, Graaf R de, Bijl RV, Schnabel P. Reactie op J. Schippers' "Homoseksualiteit en psychiatrische stoornissen: samenhang niet aangetoond". *Nederlands Tijdschrift voor Geneeskunde* 2002; 146: 1755-1756.

### 2003

15. Spijker J, Graaf R de, Bijl RV, Beekman ATF, Ormel J, Nolen WA. Psychiatrische morbiditeit onder volwassenen in Nederland: het NEMESIS-onderzoek. IV. Duur van depressieve episoden. *Nederlands Tijdschrift voor Geneeskunde* 2003; 147: 2025-2028.

### 2004

16. Bak M, Delespaul P, Hanssen M, Graaf R de, Vollebergh W, Os J van. Voorspellende waarde van niet door clinici erkende positieve psychotische symptomen. *Tijdschrift voor Psychiatrie* 2004; 46: 285-293.
17. Spijker J, Bijl RV, Graaf R de, Beekman ATF, Ormel J, Nolen WA. Depressie: langer durende episode niet zonder meer een verwijzindicatie. *Nederlands Tijdschrift voor Geneeskunde* 2004; 148: 247-248.
18. Spijker J, Bijl RV, Nolen WA. Duur van depressieve episoden en voorspellers van beloop: resultaten van NEMESIS. *Huisarts en Wetenschap* 2004; 2: 70-73.

### 2005

19. Batelaan NM, Graaf R de, Balkom AJLM van, Vollebergh WAM, Beekman ATF. De epidemiologie van paniek. *Tijdschrift voor Psychiatrie*. In press.
20. Graaf R de, Have M ten, Dorsselaer S van, Schoemaker C, Beekman ATF, Vollebergh WAM. Verschillen tussen etnische groepen in psychiatrische morbiditeit. Resultaten van NEMESIS. *Maandblad Geestelijke volksgezondheid* 2005; 60: 703-716.

### 2006

21. Bruijn C de, Brink W van den, Graaf R de. Alcoholisme en DSM-IV. Alcoholisme: een chronische recidiverende ziekte? *Verslaving; Tijdschrift over Verslavingsproblematiek* 2006; 2: 50-60.

### 2007

22. Laar M van, Dorsselaer S van, Monshouwer K, Graaf R de. Cannabisgebruikers kampen vaak met psychische stoornissen. *Tijdschrift voor Verslaving* 2007; 3: 3-14.

### 2011

23. Overbeek G, Vermulst A, Graaf R de, Have M ten, Engels R, Scholte R. Positieve levensgebeurtenissen en stemmingsstoornissen: longitudinaal bewijs voor een chaotische levensloophypothese. *Tijdschrift voor Psychiatrie* 2011; 53: 321-332.

### 2011

24. Batelaan NM. De invloed van paniekaanvallen op psychiatrische stoornissen (Rubriek: Nederlands-Vlaams toponderzoek). *Tijdschrift voor Psychiatrie* 2013; 55: 140.

### 2016

25. Speetjens P, Thielen F, Have M ten, Graaf R de, Smit F. Kindermishandeling: economische gevolgen op lange termijn. *Tijdschrift voor Psychiatrie* 2016; 58: 706-711.





## Nederlandstalige rapporten / Reports in Dutch

1. Graaf R de, Ravelli A, Langendoen Y, Spijker J, Vollebergh W, Smit F, Bijl R. *Netherlands Mental Health Survey and Incidence Study. Technisch Rapport no. 9. Respons en non-respons tweede meting.* Utrecht: Trimbos-instituut, 1998.
2. Graaf R de, Ravelli A, Langendoen Y, Spijker J, Vollebergh W, Bijl R. *Netherlands Mental Health Survey and Incidence Study. Technisch Rapport no. 8. Schaalconstructie tweede meting.* Utrecht: Trimbos-instituut, 1998.
3. Camp K van de, Bijl RV. *Psychische problemen, zorggebruik en behoefte aan zorg in Noord-Holland: 1999 en 2010.* Utrecht, Trimbos-instituut, 1999.
4. Dorsselaer S van, Graaf R de, Vollebergh W, Bijl R, Laitinen-Krispijn S, Spijker J. *Netherlands Mental Health Survey and Incidence Study. Technisch Rapport no. 10. Schaalconstructie derde meting.* Utrecht: Trimbos-instituut, 2000.
5. Dorsselaer S van, Bijl RV. *Zorggebruik en zorgbehoefte in regio Oostelijk Utrecht, 2000 – 2010.* Utrecht, Trimbos-instituut, 2000.
6. Graaf R de, Bijl RV, Vollebergh W, Dorsselaer S van, Spijker J, Smit F, Laitinen-Krispijn S. *Netherlands Mental Health Survey and Incidence Study. Technisch Rapport no. 11. Respons en non-respons derde meting.* Utrecht: Trimbos-instituut, 2000.
7. Have M ten, Vollebergh W, Bijl R, Nolen W. Prevalentie en zorggebruik bipolaire stoornissen in Nederland. In: Polikar L, Vollebergh W. *De bipolaire stoornis. Een slecht herkend probleem.* Utrecht: Trimbos-instituut, 2000: pp. 15-34.
8. Perenboom R, Oudshoorn K, Herten L van, Hoeymans N, Bijl RV. *Levensverwachting in goede geestelijke gezondheid: Bepaling afkappunten en wegingsfactoren voor de MHI-5 en GHQ-12.* Leiden, TNO Preventie en gezondheid, 2000 (TNO-rapport PG/VGZ/99.067).
9. Have M ten, Bijl RV, Camp K van de. *Behoeft en bereik. Kwantitatieve verkenning van de geestelijke gezondheidszorg en verslavingszorg in Oostelijk Zuid-Limburg, 1996-2010.* Utrecht, Trimbos-instituut, 2001.
10. Have M ten, Vollebergh WAM. *Psychiatrische problematiek in drie grote steden van Nederland.* Utrecht, Trimbos-instituut, 2001.
11. Have M ten, Dorsselaer S van, Giesbers H, Veen A van der, WAM Vollebergh. *AGGZ op de kaart. Vraag en aanbod van ambulante geestelijke gezondheidszorg in regionaal perspectief.* Utrecht, Trimbos-instituut, 2002.
12. Laitinen-Krispijn S, Bijl R. *Werk, psyche en ziekteverzuim. Aard en omvang van psychische stoornissen, ziekteverzuim en zorggebruik in de beroepsbevolking.* Utrecht, Trimbos-instituut, 2002.
13. Laitinen-Krispijn S, Schoemaker C. *Psychische stoornissen en ziekteverzuim onder werkenden.* In: Verbraak MJPM (red.). *Preventie van verzuim als gevolg van werkstress,*

- burnout en overige psychische klachten. Achtergronden, instrumenten & interventies, p. 45-68. Nijmegen, Cure & Care Publishers, 2003.
14. Graaf R de, Have M ten, Dorsselaer S van, Schoemaker C, Vollebergh W. *Antisociale persoonlijkheidsstoornis bij volwassenen. Een notitie ten behoeve van een tweede NEMESIS*. Utrecht, Trimbos-instituut, 2003.
  15. Verdurmen J, Monshouwer K, Dorsselaer S van, Graaf R de. *Bovenmatig drinken in Nederland; Uitkomsten van de 'Netherlands Mental Health Survey and Incidence Study' (Nemesis)*. Achtergrondstudie Nationale Drugmonitor NDM. Utrecht: Bureau NDM, 2003.
  16. Vollebergh WAM, Graaf R de, Have M ten, Schoemaker CG, Dorsselaer S van, Spijker J, Beekman ATF. *Psychische stoornissen in Nederland; overzicht van de resultaten van NEMESIS*. Utrecht: Trimbos-instituut, 2003.
  17. Graaf R de, Vollebergh WAM. *Notitie over de haalbaarheid van aansluiting van het Nationaal Prevalentie Onderzoek naar middelengebruik in de algemene bevolking bij NEMESIS-II*. Ministerie van VWS, 2004. Aangeboden.
  18. Graaf R de, Have M ten, Dorsselaer S van, Schoemaker C, Vollebergh WAM. *Etniciteit in onderzoek naar psychische stoornissen. Een notitie ten behoeve van een tweede NEMESIS*. Utrecht, Trimbos-instituut, 2004.
  19. Have M ten, Graaf R de, Dorsselaer S van, Schoemaker C, Beekman A, Vollebergh W. *Zorgbehoeften vanwege psychische problemen en attitudes ten aanzien van GGZ-behandeling. Een notitie ten behoeve van een tweede NEMESIS*. Utrecht, Trimbos-instituut, 2004.
  20. Vollebergh WAM, Graaf R de, Have M ten, Schoemaker CG, Dorsselaer S van, Spijker J, Beekman ATF. *NEMESIS-II. De Netherlands Mental Health Survey and Incidence Study. Een replicatie en uitbreiding van de studie NEMESIS naar prevalentie, incidentie, beloop en gevolgen van psychische problematiek in de bevolking. Protocol*. Utrecht, Trimbos-instituut, 2004.
  21. Depla M, Pot AM, Graaf R de, Dorsselaer S van, Sonnenberg C, Deeg D. *Ontwikkeling in het gebruik van geestelijke gezondheidszorg en verslavingszorg door ouderen tot 2020*. Utrecht, Trimbos-instituut, 2005.
  22. Laar M van, Dorsselaer S, Monshouwer K, Graaf R de. *Associations between cannabis use and mental disorders in the general population. Does cannabis use predict the first incidence of mood and anxiety disorders?* Utrecht, Trimbos-instituut, 2005.
  23. Dorsselaer S van, Graaf R de, Verdurmen J, Land H van 't, Have M ten, Vollebergh W. *Trimbos Kerncijfers Psychische Stoornissen. Resultaten van Nemesis*. Utrecht, Trimbos-instituut, NMG, 2006.
  24. Laar M van, Dorsselaer S van, Graaf R de, Have M ten. *Cannabis, sedativa en andere drugs: determinanten van gebruik en samenhang met psychische stoornissen. Resultaten van Nemesis*. Utrecht, Trimbos-instituut, 2006.

25. Verdurmen, J, Have M ten, Dorsselaer S van, Land H van 't, Vollebergh W, Graaf R de. *Psychische stoornissen bij mensen met een lichamelijke aandoening Resultaten van de 'Netherlands Mental Health Survey and Incidence Study' (NEMESIS)*. Utrecht, Trimbos-instituut, NMG, 2006.
26. Dorsselaer S van, Graaf R de, Have M ten, Verdurmen J, Land H van 't, Vollebergh W. *Het verlenen van mantelzorg en het verband met psychische stoornissen. Resultaten van de 'Netherlands Mental Health Survey and Incidence Study' (NEMESIS)*. Utrecht, Trimbos-instituut, 2007.
27. Have M ten, Graaf R de, Dorsselaer S van, Verdurmen J, Land H van 't, Vollebergh W. *Suïcidaliteit in de algemene bevolking: gedachten en pogingen. Resultaten van 'Netherlands Mental Health Survey and Incidence Study' (NEMESIS)*. Utrecht, Trimbos-instituut, NMG, 2007.
28. Verdurmen J, ten Have M, de Graaf R, van Dorsselaer S, van 't Land H, Vollebergh W. *Psychische gevolgen van kindermishandeling op volwassen leeftijd. Resultaten van de 'Netherlands Mental Health Survey and Incidence Study' (NEMESIS)*. Utrecht: Trimbos-instituut, 2007.
29. Have M ten, Graaf R de, Monshouwer K. *Sporten en psychische gezondheid. Resultaten van de 'Netherlands Mental Health Survey and Incidence Study' (NEMESIS)*. Utrecht, Trimbos-instituut, 2009.
30. Have M ten, Land H van't, Graaf R de. *Voorspellers van zorggebruik in de eerstelijns en de tweedelijns GGZ. Trendrapportage GGZ 2009*. Utrecht, Trimbos-instituut, 2009.
31. Hoeymans N, Have M ten, Spijker B, Graaf R de, Straten A van, Dorsseaeer S van, Smit F, Kerkhof A, Schoemaker CG. *De psychische ziektelast van suïcidaliteit*. In: Hoeymans N, Schoemaker CG (Eds). *De ziektelast van suïcide en suïcidepogingen*. Bilthoven: RIVM, 2010.

## **Proefschriften met NEMESIS-gegevens / Theses with data from NEMESIS**

### **2002**

1. Spijker J. Chronic depression. Determinants and consequences of chronic major depression in the general population. Utrecht. 2002. ISBN 90-393-3102-2.
2. Overbeek GJ. Internalizing and externalizing problem behaviours in adolescence and young adulthood. Longitudinal studies on the role of co-occurrence and intimate bonds with parents and partners. Utrecht. 2002. ISBN 90-393-3455-2.

### **2003**

3. Marquenie LA. The commorbidity of alcohol dependence and phobic disorders. Origin, course and expectancies. Amsterdam. 2003. ISBN 90-5669-076-0.
4. Schadé AC. The treatment of alcohol-dependent patients with a comorbid phobic disorder. Amsterdam. 2003. ISBN 90-5669-075-2.

### **2004**

5. Kruijshaar ME. Data consistency in summary measures of population health. Rotterdam. 2004. ISBN 90-9017657-8.
6. Hanssen MSS. A continuous psychosis phenotype: from description to prediction. Maastricht. 2004. ISBN 90-5278-410-8.
7. Have ML ten. Care service use for mental health problems in the general population: trends and expectations. Groningen. 2004. ISBN 90-5253-472-1.
8. Janssen I. Social cognition and psychosis. Heerlen 2004.

### **2005**

9. Bruijn C de. The craving withdrawal model for alcoholism. Amsterdam 2005. ISBN 90-73637-66-X.

### **2006**

10. Michon H. Personal characteristics in vocational rehabilitation for people with severe mental illnesses.
11. Henquet C. Ecogenetic studies of cannabis as a cause of psychosis. ISBN 90-9021371-6.
12. Smit F. Prevention of depression. ISBN 90-5253-562-0.

### **2007**

13. Thewissen V. Understanding the psychology of positive psychotic symptoms. An epidemiological and momentary assessment approach. ISBN 978-90-5278-660-5.
14. Buist-Bouwman M. Functional limitations associated with mental disorders. Inescapable fact or avoidable reality? ISBN 978-90-367-3217-8.

### **2008**

15. Regeer EJ. A different perspective on bipolar disorder? Epidemiology, consequences, concept, and recognition of bipolar spectrum disorder in the general population. ISBN 978-90-367-3264-2.
16. Kaptein K. Recovery from depression: new insights in time-course analyses. ISBN 978-90-367-3549-0.

### **2009**

17. Acartürk ZC. Epidemiology & psychological treatment of social phobia. Istanbul/Amsterdam, Ipskamp Drukkers.

18. Peen J. Mental health and urbanization. An investigation of urban-rural and inner-city differences in psychiatric morbidity. ISBN 978-90-9024182-1.
19. Verhagen M. Familiality, comorbidity and molecular genetic factors in major depressive disorder. The role of gender. ISBN 978-90-9024213-2.
20. Plaisier I. Work and mental health. Studies on the impact of job characteristics, social roles and gender. Vrije Universiteit Amsterdam. ISBN 978-90-86593903.
21. Batelaan NM. Panic and public health: diagnosis, prognosis and consequences. Vrije Universiteit Amsterdam. ISBN 978-90-86594115.

#### **2010**

22. Son G van. The epidemiology of eating disorders. Universiteit Groningen. ISBN 978-90-815909-1-4.
23. Bergsma A. Imperfectly happy. Oisterwijk: Uitgeverij BOXPress. ISBN 978-90-8891-268-9.

#### **2012**

24. Rhebergen D. Insight into the heterogeneity of depressive disorders. Ipskamp Drukkers, Enschede. ISBN 978-94-6191-387-6.

#### **2015**

25. Gevonden M. The odd one out. Exploring the nature of the association between minority status and psychosis. ISBN 978-90-9029204-5.
26. Nierop M van. Surviving Childhood; New perspectives on the link between childhood trauma and psychosis. Universiteit Maastricht.
27. Hardeveld F. Recurrence of major depressive disorder. Towards a model of risk. Ipskamp Drukkers, Enschede. ISBN 978-94-6259-744-0.

#### **2017**

28. Wanders R. *Symptoms and depression: it's time to break up*. Ridderprint BV. ISBN 978-90-367-9582-1. 1 NEMESIS-paper.